



AEGIS®

RESIDENTIAL ORNAMENTAL STEEL FENCE



TYPICAL PANEL DRAWING
(Classic Style shown; Warrior, Majestic and Genesis also available)



NOTE: PANELS DO NOT COME PRE-ASSEMBLED.

Span	8' Nominal (94-5/8" Rail)		
Post Size	2"	2"	2"
Bracket Type	Residential Universal Boulevard (BB206)	Residential Line Boulevard (BB200)	Residential Flat Mount (BB204)
Post Settings ± 1/2" O.C.	97-1/2"	97-1/2"	97-1/2"

Effective: 01/01/13

AEGIS®




AMERISTAR®
FENCE PRODUCTS


PANELS

1-888-333-3422
FAX: 1-877-926-3747


8' - 1-5/8" O.C.




Classic™ Panel (2-Rail)




Majestic™ Panel (2-Rail)



Genesis™ Panel (2-Rail)




Warrior™ Panel (2-Rail)




Classic™ Panel (3-Rail)




Majestic™ Panel (3-Rail)



Genesis™ Panel (3-Rail)



Warrior™ Panel (3-Rail)



Majestic™ Pool Fencing (2-Rail)

Panels packaged in components. One panel per box. Panel length is 94-5/8" (Installed post spacing to be 97-1/2" O.C.). Each panel has 21 pickets on 4-3/8" centers. See Page 4-10 for Walk Gate Kit information.

STYLE SELECTION = * **X = COLOR SELECTION**
CLASSIC = C **B = BLACK**
MAJESTIC = M **W = WHITE**
GENESIS = G **N = BRONZE**
WARRIOR = W **S = SAND**

RAIL QUANTITY & LOCATION	(NOMINAL) PANEL HEIGHT	ITEM NUMBER	CATALOG PRICE	PANEL WEIGHT	STOCKING STYLES/COLORS
2-RAIL (STANDARD)	3'	* <u>X</u> 234		40	N/A
	3-1/2'	* <u>X</u> 240		44	MAJ/BLK
	4'	* <u>X</u> 246		47	MAJ/BLK
	* 5'	* <u>X</u> 258		54	N/A
	* 6'	* <u>X</u> 270		60	N/A (NOT AVAILABLE IN MAJESTIC)
2-RAIL (FLUSH BOTTOM)	* 4'	<u>M</u> <u>X</u> 246P		48	(POOL PANEL ONLY AVAILABLE IN MAJESTIC) N/A
3-RAIL (STANDARD)	3'	* <u>X</u> 334		50	N/A
	3-1/2'	* <u>X</u> 340		54	N/A
	4'	* <u>X</u> 346		57	MAJ/BLK
	5'	* <u>X</u> 358		64	MAJ/BLK & MAJ/BRZ
	* 6'	* <u>X</u> 370		70	MAJ/BLK

* Meets IBC Pool Code (read DISCLAIMER on Page 3-3)

Effective: 01/01/13

AEGIS®

 **AMERISTAR®**
FENCE PRODUCTS
DISCLAIMER1-888-333-3422
FAX: 1-877-926-3747

DISCLAIMER

The Aegis® residential ornamental fence panels meet the 2003 International Building Code (IBC).






Always check you local code for compliance before ordering or installing any Ameristar fence for pool use.

Pool enclosure codes vary widely and are not uniform nationally. Ameristar cannot warrant or guarantee its Aegis® fencing to meet the many different code requirements for pool fencing, gates and particularly gate hardware (latches and hinges). The hardware supplied in Ameristar® Walk Gate Kits do not meet pool code requirements. Please contact a specialty manufacturer or distributor of swimming pool latches and hinges for compliance.

AEGIS®

AMERISTAR®
 FENCE PRODUCTS
BRACKETS



 1-888-333-3422
 FAX: 1-877-926-3747

ITEM DESCRIPTION	PART NUMBER/COLOR				PRICE EACH	BAG QTY	BOX QTY	WT EA
	BLACK	BRONZE	WHITE	DESERT SAND				
Residential Universal Boulevard Bracket 	BB206	BN206	BW206	BS206		2	150	.25
Made from high strength steel. Packaged in polybag with tek screws, carriage bolts and nuts. (SOLD PER BAG OF 2 EACH). Mounts on 2" square post. Works universally for lines, ends and corners.   								
Residential Line Bracket 	BB200	BN200	BW200	BS200		2	140	.47
Used as boulevard bracket around a 2" post to join two adjacent panels in line. (SOLD PER BAG OF 2 EACH).								
Residential Flat Mount Bracket 	BB204	BN204	BW204	BS204		2	240	.19
Can be used, as illustrated, to attach panels to wood posts, walls, etc., or turned 90° to enable panels to meet post at oblique angles. (SOLD PER BAG OF 2 EACH).  								

AEGIS®

AMERISTAR®
 FENCE PRODUCTS

 1-888-333-3422
 FAX: 1-877-926-3747
COMPONENTS AND FASTENERS

ITEM DESCRIPTION	PART NUMBER/COLOR				PRICE EA	LENGTH	BOX QTY	WT EA
	BLACK	BRONZE	WHITE	DESERT SAND				
Rail - Through Punched ForeRunner™ 	CBR1	CNR1	CWR1	CSR1		94-5/8"	6	10.1
	Used for all applications except top rail of Majestic 2-Rail & 3-Rail panels and gates. Includes grommets and retaining rods.							
Rail - Bottom Punched ForeRunner™ 	MBR1	MNR1	MWR1	MSR1		94-5/8"	6	10.3
	Used for top rail of Majestic 2-Rail & 3-Rail panels and gates. Includes retaining rods.							
Retaining Rod 	H530P					92-5/8"	6	.32
	Finish is galvanized steel. Diameter is 1/8".							


Effective: 01/01/13

AEGIS®



1-888-333-3422
FAX: 1-877-926-3747

COMPONENTS AND FASTENERS

ITEM DESCRIPTION	PART NUMBER/COLOR				DEALER PRICE BAG	SIZE	BAG QTY	WT EA
	BLACK	BRONZE	WHITE	DESERT SAND				
Grommet Sets 	XB011P	XN011P	XW011P	XS011P		5/8" SQ	22	.06
	Price is per polybag of 22 grommets.							
Picket Plug 	AB502	N/A	AW502	N/A		5/8" SQ	21	.06 oz
	5/8" plug for flat top pickets. SOLD IN BAG QUANTITY ONLY.							
Self-Drilling Screws 	HB524P	HN524P	HW524P	HS524P		#14 x 3/4"	1	.012
	HB445P	HN445P	HW445P	HS445P		#10 x 1/2"	1	.006
	HB539P-50	HN539P	HW539P	HS539P		#10 x 3/4"	50	.5
	Steel hex head self-drilling screws for brackets and adornments.							
Carriage Bolts 	HB540P	HN540P	HW540P	HS540P		1/4" x 1-3/4"	1	.027
	Steel carriage bolts for brackets							
Flange Nuts 	HB541P-20	HN541P	HW541P	HS541P		1/4"	20	.2
	Steel flange nuts for brackets.							


Effective: 01/01/13

AEGIS®



1-888-333-3422
FAX: 1-877-926-3747


ADORNMENTS

ITEM DESCRIPTION	PART NUMBER/COLOR				PRICE EA	SIZE	BOX QTY	WT EA
	BLACK	BRONZE	WHITE	DESERT SAND				
Quad-Flares 	AB301	AN301	AW301 (N/S)	AS301 (N/S)		4" H	---	.15
Fits atop 5/8" square pickets (press-fit). Heavy-duty cast aluminum. The four sided flare design adds the popular traditional look to the "Genesis" fence style.								
Triads 	AB302	AN302	AW302 (N/S)	AS302 (N/S)		4" H	---	.15
Fits atop 5/8" square pickets (press-fit). Heavy-duty cast aluminum. Three distinct tips reflect the strong look of a barbed spear.								
Royalty 	AB303	AN303	AW303 (N/S)	AS303 (N/S)		5/8"	---	.14
Fits atop 5/8" square pickets (press-fit). Die cast aluminum.								
Corona 	AB103	AN103 (N/S)	AW103 (N/S)	AS103 (N/S)		4" X 8"	---	.35
Fits onto face of 5/8" square pickets. Pressed steel ring. Can be mounted in a line between the top rails of 3-rail panels to give the look of ornamental circles (11 required per panel). Includes two (2) #10 x 1/2" self-drilling screws.								
Butterfly 	HB058	HN058 (N/S)	HW058	HS058 (N/S)		----	---	.2
Can be arranged in a line along a horizontal rail or in a variety of combinations as a center grouping. Fits 5/8" square pickets on 4-3/8" centers. Includes two (2) #10 x 1/2" self-drilling screws.								

AEGIS®

CUSTOM FINISHES



ITEM DESCRIPTION	BLACK		COLOR				WT EA.
	BLACK PART NO.	DEALER PRICE	BRONZE PART NO.	WHITE PART NO.	DESERT SAND PART NO.	DEALER PRICE	
Paint Pen 	PB100		PN100	PW100	PS100		.5
Custom finishes in the four standard Aegis Fence colors.							
Zinc-Rich Paint Pen 	PZ100					11.63	.5
Priming required for cut steel edges prior to application of Ameristar Custom Finishes. NOTE: All cut rail ends must be seal coated with Zinc Rich Primer and Ameristar’s custom touch-up paint or the warranty is void.							
Spray Paint 	FB100		FN100	FW100	FS100		1.1
Custom finishes in the four standard Aegis Fence colors.							
Zinc-Rich Primer 	FZ100						1.1
Ideal for priming cut steel edges of Aegis Fence components prior to applying the appropriate custom finish color. NOTE: All cut rail ends must be seal coated with Zinc-Rich Primer and Custom Touch-up Finish or warranty is considered null and void.							

Effective: 01/01/13


N/S = Non Stock Item - Check with Sales for availability.

AEGIS®



1-888-333-3422
FAX: 1-877-926-3747

STEEL ORNAMENTAL SQUARE POST



NOTE: In location subject to freezing, where posts are grouted into core-drilled holes, a 1/4" diameter hole should be drilled in the post approximately 1/2" above elevation to allow for drainage of built-up ground water. The drilled hole must be wiped clean and dry before applying Ameristar zinc primer and color finish.

X = COLOR SELECTION

B = BLACK
N = BRONZE
W = WHITE
S = SAND

Post Diameter	Ga. / Wall Thickness	Post Length	Item Number	Catalog Price (Black)	Catalog Price (Color)	Post Weight
2" SQ. (STEEL)	16 GA. (RESIDENTIAL)	4'-9"	WP <u>X</u> 20057			8
		5'-3"	WP <u>X</u> 20063			9
		5'-9"	WP <u>X</u> 20069			10
		6'-9"	WP <u>X</u> 20081			11
		7'-9"	WP <u>X</u> 20093			13
		8'-9"	WP <u>X</u> 20105			14

POST BASES

X = COLOR SELECTION

B = BLACK
N = BRONZE
W = WHITE
S = SAND

	Post Size	Base Size	Drill Holes	Item Number	Catalog Price (Black)	Catalog Price (Color)	Base Weight
	Fits 2" SQ. Steel Post	5" x 5"	9/16"	B <u>X</u> 205			3

POST CAPS

X = COLOR SELECTION

B = BLACK
N = BRONZE
W = WHITE
S = SAND

Cap Type	Cap Style	Size	Item Number	Catalog Price (Black)	Catalog Price (Color)	Cap Weight
	STANDARD FLAT CAP	1-3/4" SQ.	A <u>X</u> 505			0.1
		2" SQ.	A <u>X</u> 506			0.2
	BALL CAP	2" SQ.	H <u>X</u> 508R			0.1

Effective: 01/01/13

AEGIS®



www.ameristarfence.com

1-888-333-3422

FAX: 1-877-926-3747

Steel Ornamental Fence System - Internally Secured Construction Specification - SECTION 32 31 00

PART 1 - GENERAL

1.01 WORK INCLUDED

The contractor shall provide all labor, materials, and appurtenances necessary for installation of the ornamental metal fencing system defined herein at (specify project site).

1.02 RELATED WORK

Section __ - Earthwork

Section __ - Concrete

1.03 SYSTEM DESCRIPTION

The manufacturer shall supply a total ornamental metal fencing system of the design, style, strength and picket interspace defined herein. The system shall include all components (i.e., pickets, rails, posts, gates and hardware) required.

1.04 QUALITY ASSURANCE

The contractor shall provide laborers and supervisors who are thoroughly familiar with the type of construction involved and materials and techniques specified.

1.05 REFERENCES

A653/A653M - Standard Specification for Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated Galvanized by the Hot-Dip Process. **A1011/A1011M** - Standard Specification for Steel, Sheet and Strip, Hot-Rolled, Carbon, Structural, High-Strength Low-Alloy and High-Strength Low-Alloy with Improved Formability. **B117** - Practice for Operating Salt-Spray (Fog) Apparatus.

1.06 SUBMITTAL

The manufacturer's literature shall be submitted prior to installation.

1.07 PRODUCT HANDLING AND STORAGE

Upon receipt at the job site, all materials shall be checked to ensure that no damages occurred during shipping or handling. Materials shall be stored in such a manner to ensure proper ventilation and drainage and to protect against damage, weather, vandalism and theft.

PART 2 - MATERIALS

2.01 MANUFACTURER

The ornamental metal fencing system shall conform to **Ameristar AEGIS™** (specify style from options in manufacturer's current literature).

2.02 MATERIAL

- A. Steel material for fence framework (i.e. tubular pickets, rails and posts), shall be galvanized prior to forming, in accordance with the requirements of ASTM A653/A653M, with a minimum yield strength of 45,000 psi. The steel shall be hot-dip galvanized to meet the requirements of ASTM A653/A653M with a minimum zinc coating weight of 0.60 oz/ft², Coating Designation G-60.
- B. Galvanized framework shall be subject to six stage pretreatment/wash (with zinc phosphate) followed by an electrostatic spray application of a two coat powder system. The base coat is a thermosetting epoxy powder coating (gray in color) with a minimum thickness of 2-4 mils. The top coat is a "no-mar" TGIC polyester powder coat finish with a minimum thickness of 2-4 mils. The color shall be (specify Black, Bronze, White or Desert Sand). Coated galvanized framework shall be a salt spray resistance of 3,500 hours using Test Method B117 without loss of adhesion.

- C. Material for fence pickets shall be 5/8" square (nominal) x 18 ga. tubing. The cross-sectional shape of the rails shall conform to the manufacturer's **ForeRunner™** design with outside cross-section dimensions of 1.25" square and a minimum thickness of 16 ga. Picket holes in the **ForeRunner™** rail shall be spaced 4.375" o.c. Picket retaining rods shall be 0.125" dia. galvanized steel. Posts shall be 2" square x 16 ga. Rubber grommets shall be supplied to seal all picket-to-rail intersections.

2.03 FABRICATION

- A. Pickets, rails and posts shall be pre-cut to specified lengths. **ForeRunner™** rails shall be prepunched to accept pickets. Pickets shall be predrilled to accept retaining rods. Posts shall be supplied with caps.
- B. Grommets shall be inserted into the prepunched holes in the rails and pickets shall be inserted through the grommets so that predrilled picket holes align with the internal upper raceway of the **ForeRunner™** rails (Note: This can best be accomplished by making an alignment jig). Retaining rods shall be inserted into each **ForeRunner™** rail so that they pass through the predrilled holes in each picket.
- C. Completed sections (i.e., panels) shall be capable of supporting a 250 lb. load applied at midspan without permanent deformation. Panels shall be biasable to a 25% change in grade.
- D. Gates shall be assembled using **AEGIS™** panel material and gate ends having the same outside cross-section dimensions as the **ForeRunner™** rail. Heavy-duty gate "ells" shall be used to bolt each upright and rail intersection.

PART 3 - EXECUTION

3.01 PREPARATION

All new installation shall be laid out by the contractor in accordance with the construction plans.

3.02 INSTALLATION

Fence posts shall be set at spacings of 97-1/2" o.c. plus or minus 1/2". Gate posts shall be spaced according to the gate openings specified in the construction plans. The "Earthwork" and "Concrete" sections of this specification shall govern post base placement and material requirements. **AEGIS™** panels shall be attached to posts using boulevard brackets supplied by the manufacturer. Gates shall be installed using the bolt on hardware supplied by the manufacturer. When cutting Aegis rails immediately seal the exposed surfaces by 1) Removing all metal shavings from cut area 2) Apply zinc-rich primer to thoroughly cover cut edge and drilled hole; let dry 3) Apply 2 coats of custom finish spray paint matching fence color. Failure to seal exposed surfaces per steps 1-3 above will negate warranty. If contractor uses non Ameristar parts/components this will negate the warranty.

3.03 CLEANING

The contractor shall clean the jobsite of excess materials; post hole excavations shall be scattered uniformly away from posts.

Effective: 01/01/13

AEGIS® RESIDENTIAL 10 YEAR LIMITED WARRANTY

Aegis® Residential Ornamental Metal Fencing System by AMERISTAR® is manufactured from the highest quality materials by skilled craftsmen to meet the highest standards of workmanship in the industry. Galvanized steel framework shall be subject to a six stage pretreatment/wash (with zinc phosphate) followed by an electrostatic spray application of PermaCoat™ Color System, a two coat powder system. The base coat is a thermosetting epoxy powder coating (gray in color). The top coat is a “no-mar” TGIC polyester powder coat finish, which provides the protection necessary to withstand adverse environmental conditions.

The powder coated surface on all framework (i.e., pickets, rails and posts) by AMERISTAR® is guaranteed under normal and proper usage, against cracking, peeling, chipping, blistering or corroding for a period of ten (10) years from the original purchase date. Normal and proper usage does not include physical damage or abrasion or exposure to salty environments to the protective coating.

Aegis® Residential Ornamental Metal Fencing System framework is also guaranteed for the same period of time against defects in workmanship or materials.

Should any ornamental fence framework manufactured by Ameristar® Fence Products fail in accordance with any of the above conditions, Ameristar® Fence Products warrants to the original purchaser their redemption through replacement, renewal or issuance of a pro-rated credit. The decision as to which method of redemption allowed is solely at the discretion of Ameristar®. If pro-rated allowance is the chosen alternative, the amount will be based on the total number of years under warranty from date of purchase to date of claim, based on the original cost of framing materials found to be defective. Notice of failure under the conditions of this warranty shall be sent to Ameristar® Fence Products or its authorized representative, in writing, together with proof of purchase and shall specify the nature of the defect and when it was first observed. When cutting Aegis rails immediately seal the exposed surfaces by **1) Removing all metal shavings from cut area** **2) Apply zinc-rich primer to thoroughly cover cut edge and drilled hole; let dry** **3) Apply 2 coats of custom finish spray paint matching fence color.** Failure to seal exposed surfaces per steps 1-3 above will negate warranty. If contractor uses non Ameristar parts/components this will negate the warranty. Should the fence be improperly installed, Ameristar® Fence Products shall not be responsible for guaranteed performance or appearance of the material. Neither does this guarantee apply when failure or damage is due to improper use or application, abuse or misuse, salty environments, vandalism or acts of God. Ameristar® Fence Products reserves the right to inspect the material to determine validity of the claim.

Upon validation of the claim by Ameristar® Fence Products or its authorized representative, redemption by replacement, renewal or issuance of a pro-rated credit shall be made by Ameristar® Fence Products. Reimbursement for the costs of removal and installation of materials are not included in the guarantee, nor will Ameristar® Fence Products provide those services.

The above constitutes the complete warranty by the manufacturer. No other agreement, written or implied, is valid. Ameristar® Fence Products does not authorize any other person or agent to make any other express warranties. Ameristar® Fence Products neither assumes nor authorizes any other person or agent to assume any other liability in connection with Aegis® Residential Ornamental Metal Fencing System. Some jurisdictions do not allow limitations on how long an implied warranty lasts, nor do they allow an exclusion or limitation of incidental or consequential damages; therefore, the limitations and exclusions noted herein may not apply.

PURCHASE DATE _____

DEALER SIGNATURE _____



P. O. BOX 581000 TULSA, OKLAHOMA 74158-1000

Effective: 01/01/13


AEGIS®

1-888-333-3422
FAX: 1-877-926-3747


RESIDENTIAL GATES

EASY GATE ASSEMBLY

Use the appropriate gate kit (See Pages 3-10 through 3-12) with sufficient panel material to fit gate opening. For walk gates, ForeRunner™ rails should be cut 6-1/2" shorter than the gate opening (4" for hardware and 2-1/2" for gate ends) to form the appropriate cross-piece. Each double gate cross-piece should be cut to the length of opening less 11" (6" for hardware and 5" for gate ends) then divide by 2.



NOTE: Gate hinges & latches are supplied with each gate kit. Be sure to put frame hinges (females) on gate end prior to attaching gate ells.

WARNING



Failure to follow these instructions will void warranty. Each intersection of gate ends and cross-pieces must be drilled to accommodate the heavy-duty gate ells and the four 1/4" x 1-3/4" bolts used to fasten them in final position. To do this, use the gate ell as a template by attaching the 2-piece bracket with the 1/4" x 1-1/4" bolt through the elongated hole in the gusset of the gate ell. Mark the holes (do not drill with gate ell in place as coating will be compromised) first then remove gate ell. After drilling holes, remove all shavings before using Ameristar primer and finish color touch-up paint. Be sure each coat dries before applying next. After touch-up has dried then assemble gate ell.

Effective: 01/01/13

AEGIS®

AMERISTAR®
FENCE PRODUCTS1-888-333-3422
FAX: 1-877-926-3747

WALK GATE SET



ITEM DESCRIPTION	PART NUMBER/COLOR				DEALER PRICE	FENCE HT	WT
	BLACK	BRONZE	WHITE	DESERT SAND			
Walk Gate Kits (2-Rail) 	B234-WG	N234-WG	W234-WG	S234-WG		3	14
	B240-WG	N240-WG	W240-WG	S240-WG		3-1/2	15
	B246-WG	N246-WG	W246-WG	S246-WG		4	16
	B258-WG	N258-WG	W258-WG	S258-WG		5	18
	B270-WG	N270-WG	W270-WG	S270-WG		6	20
	Kit includes: - 4 ea. Gate Ells (8 pcs. w/fasteners) - 2 ea. Gate Ends (1-1/4" square w/caps - length for fence hts. specified) - 2 ea. 2" Male Hinges (w/fasteners) & 2 ea. 1-1/4" Female Hinges (w/fasteners) - 1 ea. 2" Fork & 1 ea. 1-1/4" Latch Hanger (w/fasteners) Note: If special hardware or accessories are needed instead of or in addition to those listed, such items must be ordered separately. Pickets and rails are not supplied with gate kits; additional panels should be ordered to cover gate needs.						
Double Drive Gate Kits (2-Rail) 	B234-DD	N234-DD	W234-DD	S234-DD		3	32
	B240-DD	N240-DD	W240-DD	S240-DD		3-1/2	33
	B246-DD	N246-DD	W246-DD	S246-DD		4	36
	B258-DD	N258-DD	W258-DD	S258-DD		5	40
	B270-DD	N270-DD	W270-DD	S270-DD		6	44
	Kit includes: - 8 ea. Gate Ells (16 pcs. w/fasteners) - 4 ea. Gate Ends (1-1/4" square w/caps - length for fence hts. specified) - 4 ea. 2" Male Hinges (w/fasteners) & 6 ea. 1-1/4" Female Hinges (w/fasteners) - 1 ea. 1-1/4" Fork & 1 ea. 1-1/4" Latch Hanger (w/fasteners) - 1 ea. 48" Cane Bolt Note: If special hardware or accessories are needed instead of or in addition to those listed, such items must be ordered separately. Pickets and rails are not supplied with gate kits; additional panels should be ordered to cover gate needs.						

Effective: 01/01/13

AEGIS®

AMERISTAR®
FENCE PRODUCTS
WALK GATE SET

1-888-333-3422
FAX: 1-877-926-3747

ITEM DESCRIPTION	PART NUMBER/COLOR				DEALER PRICE	FENCE HT	WT
	BLACK	BRONZE	WHITE	DESERT SAND			
Walk Gate Kits (3-Rail) 	B334-WG	N334-WG	W334-WG	S334-WG		3	16
	B340-WG	N340-WG	W340-WG	S340-WG		3-1/2	17
	B346-WG	N346-WG	W346-WG	S346-WG		4	18
	B358-WG	N358-WG	W358-WG	S358-WG		5	20
	B370-WG	N370-WG	W370-WG	S370-WG		6	22
	Kit includes: - 6 ea. Gate Ells (12 pcs. w/fasteners) - 2 ea. Gate Ends (1-1/4" square w/caps - length for fence hts. specified) - 2 ea. 2" Male Hinges (w/fasteners) & 2 ea. 1-1/4" Female Hinges (w/fasteners) - 1 ea. 2" Fork & 1 ea. 1-1/4" Latch Hanger (w/fasteners) Note: If special hardware or accessories are needed instead of or in addition to those listed, such items must be ordered separately. Pickets and rails are not supplied with gate kits; additional panels should be ordered to cover gate needs.						
Double Drive Gate Kits (3-Rail) 	B334-DD	N334-DD	W334-DD	S334-DD		3	35
	B340-DD	N340-DD	W340-DD	S340-DD		3-1/2	37
	B346-DD	N346-DD	W346-DD	S346-DD		4	41
	B358-DD	N358-DD	W358-DD	S358-DD		5	44
	B370-DD	N370-DD	W370-DD	S370-DD		6	48
	Kit includes: - 12 ea. Gate Ells (24 pcs. w/fasteners) - 4 ea. Gate Ends (1-1/4" square w/caps - length for fence hts. specified) - 4 ea. 2" Male Hinges (w/fasteners) & 6 ea. 1-1/4" Female Hinges (w/fasteners) - 1 ea. 1-1/4" Fork & 1 ea. 1-1/4" Latch Hanger (w/fasteners) - 1 ea. 48" Cane Bolt Note: If special hardware or accessories are needed instead of or in addition to those listed, such items must be ordered separately. Pickets and rails are not supplied with gate kits; additional panels should be ordered to cover gate needs.						



Effective: 01/01/13

AEGIS®



1-888-333-3422
FAX: 1-877-926-3747

GATE FRAME KITS

ITEM DESCRIPTION	PART NUMBER/COLOR				DEALER PRICE	FENCE HT	WT
	BLACK	BRONZE	WHITE	DESERT SAND			
Walk Gate Frame Kits (2-Rail) 	B234-GFK	N234-GFK	W234-GFK	S234-GFK		3	14
	B240-GFK	N240-GFK	W240-GFK	S240-GFK		3-1/2	15
	B246-GFK	N246-GFK	W246-GFK	S246-GFK		4	16
	B258-GFK	N258-GFK	W258-GFK	S258-GFK		5	18
	B270-GFK	N270-GFK	W270-GFK	S270-GFK		6	20
	Kit includes: - 4 ea. Gate Ells (8 pcs. w/fasteners) - 2 ea. Gate Ends (1-1/4" square w/caps - length for fence hts. specified) Note: If special hardware or accessories are needed instead of or in addition to those listed, such items must be ordered separately. Pickets and rails are not supplied with gate kits; additional panels should be ordered to cover gate needs.						
Walk Gate Frame Kits (3-Rail) 	B334-GFK	N334-GFK	W334-GFK	S334-GFK		3	16
	B340-GFK	N340-GFK	W340-GFK	S340-GFK		3-1/2	17
	B346-GFK	N346-GFK	W346-GFK	S346-GFK		4	18
	B358-GFK	N358-GFK	W358-GFK	S358-GFK		5	20
	B370-GFK	N370-GFK	W370-GFK	S370-GFK		6	22
	Kit includes: - 6 ea. Gate Ells (12 pcs. w/fasteners) - 2 ea. Gate Ends (1-1/4" square w/caps - length for fence hts. specified) Note: If special hardware or accessories are needed instead of or in addition to those listed, such items must be ordered separately. Pickets and rails are not supplied with gate kits; additional panels should be ordered to cover gate needs.						

Effective: 01/01/13